BY FOREST RIVER

Serkshire
By FOREST RIVER MOTOR HOMES DIESEL DIVISION



LUXURY BUILT FOR THE ROAD.

BY FOREST RIVER













# STANDARDS AND OPTIONS

AUTOMOTIVE & COCKPIT	MODEL	34QS	38RB	38A
Cummins ISB Turbo Diesel 6.7 Liter 340 HP At 2800 RPM, 700 ft. ibs. Torque At 1600 RPM         S         S         S           Allison MH-2500 6-Speed Automatic Transmission         S         S         S           120v Engine Heater         S         S         S           22.5° Polished Aluminum Wheels         S         S         S           Trailer Hitch Capacity, 5,000 LBS         S         S         S           Electric Push Button Shift         S         S         S           Transynd Transmission Fluid         S         S         S           100 Gallon, Locking Dual Fill Fuel Tank         S         S         S           13 Gallon DEF Tank         S         S         S         S           LCD Engine Message Center         S         S         S         S           Day Time Running Lights         S         S         S         S           T-Pin Tow Power Connector         S         S         S         S           18.7 CFM Air Compressor         S         S         S         S           Farr Eco-Air Cleaner         S         S         S         S           Alf Filter Restriction Indicator         S         S         S         S           Fuel/Wate	AUTOMOTIVE & COCKPIT			
ft. lbs. Torque At 1600 RPM         Allison MH-2500 6-Speed Automatic Transmission         S         S         S           120v Engine Heater         S         S         S           22.5° Polished Aluminum Wheels         S         S         S           Trailer Hitch Capacity, 5,000 LBS         S         S         S           Electric Push Button Shift         S         S         S           Transynd Transmission Fluid         S         S         S           100 Gallon, Locking Dual Fill Fuel Tank         S         S         S           13 Gallon DEF Tank         S         S         S           LCD Engine Message Center         S         S         S           Day Time Running Lights         S         S         S           7-Pin Tow Power Connector         S         S         S           18.7 CFM Air Compressor         S         S         S           Farr Eco-Air Cleaner         S         S         S           Air Filter Restriction Indicator         S         S         S           Fuel/Water Separator         S         S         S           Heated Air Dryer         S         S         S           Automatic, Heated Moisture Ejectors	Freightliner XC Raised Rail Chassis	S	s	s
120v Engine Heater		S	S	S
22.5° Polished Aluminum Wheels         S         S           Trailer Hitch Capacity, 5,000 LBS         S         S           Electric Push Button Shift         S         S           Transynd Transmission Fluid         S         S           100 Gallon, Locking Dual Fill Fuel Tank         S         S           13 Gallon DEF Tank         S         S           LCD Engine Message Center         S         S           Day Time Running Lights         S         S           7-Pin Tow Power Connector         S         S           18.7 CFM Air Compressor         S         S           Farr Eco-Air Cleaner         S         S           Air Filter Restriction Indicator         S         S           Fuel/Water Separator         S         S           Heated Air Dryer         S         S           Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           160 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S	Allison MH-2500 6-Speed Automatic Transmission	S	S	S
Trailer Hitch Capacity, 5,000 LBS  Electric Push Button Shift  S  S  S  Transynd Transmission Fluid  S  S  S  100 Gallon, Locking Dual Fill Fuel Tank  S  S  S  13 Gallon DEF Tank  S  S  S  LCD Engine Message Center  S  Day Time Running Lights  7-Pin Tow Power Connector  S  S  S  18.7 CFM Air Compressor  Farr Eco-Air Cleaner  Air Filter Restriction Indicator  S  S  S  S  Automatic, Heated Moisture Ejectors  Power Steering  S  S  S  S  Washer/Wiper w/ Intermittent Function  S  S  S  S  S  S  S  S  S  S  S  S  S	120v Engine Heater	S	S	S
Electric Push Button Shift  Transynd Transmission Fluid  S  S  S  S  100 Gallon, Locking Dual Fill Fuel Tank  S  S  S  13 Gallon DEF Tank  LCD Engine Message Center  S  S  S  S  T-Pin Tow Power Connector  S  S  S  T-Pin Tow Power Connector  S  S  S  S  T-Pin Tow Power Connector  S  S  S  S  Terr Eco-Air Cleaner  S  S  S  Fur Ecotair Cleaner  S  S  S  S  Fuel/Water Separator  S  S  S  Automatic, Heated Moisture Ejectors  S  S  S  Washer/Wiper w/ Intermittent Function  S  S  S  S  Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries  Full air ABS Brakes w/ Auto Slack Adjuster  S  S  S  S  S  S  S  S  S  S  S  S  S	22.5" Polished Aluminum Wheels	S	S	s
Transynd Transmission Fluid         S         S           100 Gallon, Locking Dual Fill Fuel Tank         S         S           13 Gallon DEF Tank         S         S           LCD Engine Message Center         S         S           Day Time Running Lights         S         S           7-Pin Tow Power Connector         S         S           18.7 CFM Air Compressor         S         S           Farr Eco-Air Cleaner         S         S           Air Filter Restriction Indicator         S         S           Fuel/Water Separator         S         S           Fuelwater Separator         S         S           Heated Air Dryer         S         S           Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           160 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free         S         S           Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Te	Trailer Hitch Capacity, 5,000 LBS	S	S	S
100 Gallon, Locking Dual Fill Fuel Tank         S         S           13 Gallon DEF Tank         S         S           LCD Engine Message Center         S         S           Day Time Running Lights         S         S           7-Pin Tow Power Connector         S         S           18.7 CFM Air Compressor         S         S           Farr Eco-Air Cleaner         S         S           Air Filter Restriction Indicator         S         S           Fuel/Water Separator         S         S           Heated Air Dryer         S         S           Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           I60 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Variable Exhaust Brake         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S	Electric Push Button Shift	S	S	s
13 Gallon DEF Tank         S         S         S           LCD Engine Message Center         S         S         S           Day Time Running Lights         S         S         S           7-Pin Tow Power Connector         S         S         S           18.7 CFM Air Compressor         S         S         S           Farr Eco-Air Cleaner         S         S         S           Air Filter Restriction Indicator         S         S         S           Fuel/Water Separator         S         S         S           Heated Air Dryer         S         S         S           Automatic, Heated Moisture Ejectors         S         S         S           Power Steering         S         S         S           Washer/Wiper w/ Intermittent Function         S         S         S           160 Amp Alternator         S         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free         S         S         S           Batteries         S         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S         S           Variable Exhaust Brake         S         S         S	Transynd Transmission Fluid	S	S	S
LCD Engine Message Center         S         S         S           Day Time Running Lights         S         S         S           7-Pin Tow Power Connector         S         S         S           18.7 CFM Air Compressor         S         S         S           Farr Eco-Air Cleaner         S         S         S           Air Filter Restriction Indicator         S         S         S           Fuel/Water Separator         S         S         S           Fuel/Water Separator         S         S         S           Heated Air Dryer         S         S         S           Automatic, Heated Moisture Ejectors         S         S         S           Power Steering         S         S         S           Washer/Wiper w/ Intermittent Function         S         S         S           Washer/Wiper w/ Intermittent Function         S         S         S           160 Amp Alternator         S         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free         S         S         S           Batteries         S         S         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S	100 Gallon, Locking Dual Fill Fuel Tank	S	S	s
Day Time Running Lights         S         S           7-Pin Tow Power Connector         S         S           18.7 CFM Air Compressor         S         S           Farr Eco-Air Cleaner         S         S           Air Fitter Restriction Indicator         S         S           Fuel/Water Separator         S         S           Heated Air Dryer         S         S           Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           160 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free         S         S           Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Tilt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           So Degree Wheel Cut         S         S	13 Gallon DEF Tank	S	S	S
7-Pin Tow Power Connector         S         S         S           18.7 CFM Air Compressor         S         S         S           Farr Eco-Air Cleaner         S         S         S           Air Filter Restriction Indicator         S         S         S           Air Filter Restriction Indicator         S         S         S           Fuel/Water Separator         S         S         S           Heated Air Dryer         S         S         S           Automatic, Heated Moisture Ejectors         S         S         S           Power Steering         S         S         S           Washer/Wiper w/ Intermittent Function         S         S         S           160 Amp Alternator         S         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Tit Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar	LCD Engine Message Center	S	S	S
18.7 CFM Air Compressor         S         S           Farr Eco-Air Cleaner         S         S           Air Filter Restriction Indicator         S         S           Fuel/Water Separator         S         S           Heated Air Dryer         S         S           Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           I60 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Tit Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           Stoperee Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Day Time Running Lights	S	S	S
Farr Eco-Air Cleaner         S         S           Air Filter Restriction Indicator         S         S           Fuel/Water Separator         S         S           Heated Air Dryer         S         S           Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           I60 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Tilt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	7-Pin Tow Power Connector	S	S	S
Air Filter Restriction Indicator         S         S         S           Fuel/Water Separator         S         S         S           Heated Air Dryer         S         S         S           Automatic, Heated Moisture Ejectors         S         S         S           Power Steering         S         S         S           Washer/Wiper w/ Intermittent Function         S         S         S           160 Amp Alternator         S         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S         S           Variable Exhaust Brake         S         S         S           Telescopic/Tilt Steering Wheel         S         S         S           Neway Air Suspension Front and Rear         S         S         S           Sachs Custom Tuned Shock Absorbers         S         S         S           Heavy Duty Stabilizer Bar         S         S         S           55 Degree Wheel Cut         S         S         S           Auto Air Suspension Deflation System         S         S	18.7 CFM Air Compressor	S	S	S
Fuel/Water Separator         S         S           Heated Air Dryer         S         S           Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           160 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Titt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Farr Eco-Air Cleaner	S	S	s
Heated Air Dryer         S         S         S           Automatic, Heated Moisture Ejectors         S         S         S           Power Steering         S         S         S           Washer/Wiper w/ Intermittent Function         S         S         S           160 Amp Alternator         S         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S         S           Variable Exhaust Brake         S         S         S           Telescopic/Tilt Steering Wheel         S         S         S           Neway Air Suspension Front and Rear         S         S         S           Sachs Custom Tuned Shock Absorbers         S         S         S           Heavy Duty Stabilizer Bar         S         S         S           55 Degree Wheel Cut         S         S         S           Auto Air Suspension Deflation System         S         S	Air Filter Restriction Indicator	S	S	S
Automatic, Heated Moisture Ejectors         S         S           Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           160 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Tilt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Fuel/Water Separator	S	S	s
Power Steering         S         S           Washer/Wiper w/ Intermittent Function         S         S           160 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Tilt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Heated Air Dryer	S	S	S
Washer/Wiper w/ Intermittent Function         S         S           160 Amp Alternator         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Titl Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Automatic, Heated Moisture Ejectors	S	S	S
160 Amp Alternator         S         S         S           Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S         S           Variable Exhaust Brake         S         S         S           Telescopic/Tilt Steering Wheel         S         S         S           Neway Air Suspension Front and Rear         S         S         S           Sachs Custom Tuned Shock Absorbers         S         S         S           Heavy Duty Stabilizer Bar         S         S         S           55 Degree Wheel Cut         S         S         S           Auto Air Suspension Deflation System         S         S	Power Steering	S	S	S
Two (2) 1900 CCA At 0 Degree Fahrenheit, Maintenance Free Batteries         S         S           Full air ABS Brakes w/ Auto Slack Adjuster         S         S           Variable Exhaust Brake         S         S           Telescopic/Tilt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Washer/Wiper w/ Intermittent Function	S	S	S
Batteries         Full air ABS Brakes w/ Auto Slack Adjuster         S         S         S           Variable Exhaust Brake         S         S         S           Telescopic/Titl Steering Wheel         S         S         S           Neway Air Suspension Front and Rear         S         S         S           Sachs Custom Tuned Shock Absorbers         S         S         S           Heavy Duty Stabilizer Bar         S         S         S           55 Degree Wheel Cut         S         S         S           Auto Air Suspension Deflation System         S         S         S	160 Amp Alternator	S	S	S
Variable Exhaust Brake         S         S           Telescopic/Tilt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S		S	S	S
Telescopic/Tilt Steering Wheel         S         S           Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Full air ABS Brakes w/ Auto Slack Adjuster	S	S	s
Neway Air Suspension Front and Rear         S         S           Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Variable Exhaust Brake	S	S	S
Sachs Custom Tuned Shock Absorbers         S         S           Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Telescopic/Tilt Steering Wheel	S	S	S
Heavy Duty Stabilizer Bar         S         S           55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Neway Air Suspension Front and Rear	S	S	S
55 Degree Wheel Cut         S         S           Auto Air Suspension Deflation System         S         S	Sachs Custom Tuned Shock Absorbers	S	S	S
Auto Air Suspension Deflation System S S S	Heavy Duty Stabilizer Bar	S	S	S
,	55 Degree Wheel Cut	S	S	S
Cross Flow, Rear Mounted Radiator S S S	Auto Air Suspension Deflation System	S	S	S
	Cross Flow, Rear Mounted Radiator	S	S	S

MODEL	34QS	38RB	38A
Transmission Oil Cooler	S	S	S
5 year / 100,000 Mile Coolant (Some Maintenance Required)	S	S	S
4-Spoke VIP Black Steering Wheel	S	S	S
Electric Step Well Cover	S	S	S
Entry Assist Handle	S	S	S
Electronic Cruise Control w/ High Idle	S	S	s
CONSTRUCTION & EXTERIOR			
One Piece Fiberglass Front & Rear Caps	S	S	S
Full Body Painted Exterior (Four Coats Of Clear Coat)	S	S	S
Equalizer Four (4) Point Auto Hydraulic Leveling System	S	S	S
Bus Style Exterior/Heated/Mirrors/ w/ Cameras	S	S	S
Hehr Frameless Dual Pane, Dark Tint Windows	S	S	S
Ziebart Automotive Foam & Seal Undercoating	S	S	S
Entrance Door Power Awning	S	S	S
Electric Patio Awning w/ Integrated LED Lights	S	S	S
Diamond Shield Front Mask Protective Film	S	S	S
Tru-Brace Foundation System	S	S	S
Full Height Exterior Compartment Doors w/ Full Pass Through Storage and Dual Locking System	S	S	S
Crowned & Layered Vacuum Bonded Fiberglass Roof	S	S	S
Vacuum Bonded 3" Floor w/ Tubular 2 1/2" Aluminum Frame	S	S	s
Vacuum Bonded Sidewalls	S	S	S
Gel-Coated Fiberglass Skin	S	S	s
1/2" Structure Wood Flooring	s	S	s
Block Foam Polystyrene Insulation	S	S	s
30" Entry Way	S	S	s
Channeled Drains For A/C's	S	S	s
Steel Basement Construction	S	S	S
Tubular Steel Front Bulkhead	s	S	s
Shower Skylight	S	S	s
Two (2) Piece Rear Ladder	s	S	s
Full Length Mud Flap w/ Chrome Trim	s	S	s
84" Interior Ceiling Height	s	S	s
ELECTRICAL STANDARDS			
50A Service w/ Auto Transfer Switch & Power Cord	S	S	S

MODEL	34QS	38RB	38A
6.0 Onan Diesel Generator with Slide Out System	S	S	S
Electronic Battery Disconnect Switch	S	S	S
Remote Generator Start Switch (On dash)	S	S	S
LED Lighting Package	S	S	s
Driver/Passenger Map Lights	S	S	s
Cosmetic Lights	s	S	s
Dash, Auxiliary Start Switch	s	s	s
Bedroom Individual Reading Lights	s	s	s
Magnum 2000 Watt Modified Sine Inverter/Converter	S	S	s
Auto Generator Start	s	s	s
Four (4) Six Volt House Batteries	S	S	s
Two (2) Master Electric Shut Off Switches	s	S	s
Dimmer Controlled Living Room/Bedroom Ceiling Lights	s	s	s
Power Entrance Step	s	s	s
Patio Light	s	s	s
PLUMBING STANDARDS			
Heated Pads For All Water & Holding Tanks	S	S	s
Individual Zoned Manifold Water Supply System	S	S	S
Variable Speed Constant Pressure Water Pump	s	S S	
All Coach Water Filtration System	S	S	S
24.5 Gallon Propane Tank	s	s	s
Black Water Tank Flush System	S	S	s
Bathroom Undermount Sink	S	S	s
Single Lever Faucet w/ Pull-Out Sprayer	s	S	s
Double Lever Lavatory Faucets	S	S	s
One Piece Fiberglass Shower w/ Glass Door	S	S	S
Porcelain China Toilet	S	S	S
Auxiliary Air Chuck (Front Firewall)	S	S	S
DRIVER/PASSENGER AREA STANDARDS			
One Piece Windshield	S	S	S
Power Front Night Shade	S	S	s
Manual Passenger & Driver Windows Night Shades	S	S	S
Metallic Cherry Wood Grain Dash Panels	S	S	s
MCD Shades on Windows	S	S	S
Fog Lights	S	S	S

# Berkshire

MODEL	34QS	38RB	38A
Dash Radio w/ Integrated Color Back-up And Side Camera Package w/ Navigation	S	s	S
Wrap Around Cockpit w/ Nine (9) Gauge Instrument Cluster	S	S	S
6-Way Power Driver Seat w/ 360 Degree Swivel And Recliner	S	S	s
Adjustable Passenger Seat	S	S	S
Passenger Side Laptop Console	S	S	S
Lighted Step Well	S	S	S
Two (2) Defroster Fans w/ High And Low Settings	S	s	S
Driver/passenger Cup Holders	S	S	S
Automotive Dash AC/Heater w/ Deluxe Controls	S	s	S
ENTERTAINMENT			
46" LED HDTV, Living Room	N/A	s	S
32" LED HDTV, Living Room	S	N/A	N/A
28" LED HDTV, Bedroom	S	S	S
Exterior 32" LED HDTV	S	S	S
Sound Bar w/ Radio And Bluetooth	S	S	S
Two (2) Flip Down LCD Monitors w/ DVD And AV Inputs (1 Per Bunk)	N/A	S	S
Satellite TV Single Receiver Prep	S	S	S
Cable TV Prep	s	s	S
HD Antenna w/ Signal Strength Indicator	S	S	S
Two Dash (2) Stereo Speakers Throughout Coach	s	s	s
HDMI-CAT6 TV Selector	s	s	s
Sirius/XM Satellite Radio Capable	S	s	s
Blu-Ray DVD Player	s	s	s
INTERIOR			
One Piece Vinyl Tile Forward of the Bedroom	S	s	s
Wrapped Style Cabinetry	s	s	s
Wrapped Style Fascia (Matching wall décor)	s	s	s
Cabinet Hardware	s	s	s
Top Stitch Window Valances	s	s	S
Kitchen Back Splash	s	s	s
Carpeted Living Room And Dining Slide-Outs	S	s	S
Bedroom Carpet w/ Padding	s	s	s
Visionary Sofa with Pull Out Bed	S	S	S

MODEL	34QS	38RB	38A
Expandable L-Sofa	0	N/A	N/A
Solid Surface Kitchen C-Tops w/ Flush Mount Sink And Stove Cover	S	S	S
Full Extension Metal Drawer Guides w/ Ball Bearings Throughout	S	S	S
Soft Close Ball Bearing Drawer Guides In Kitchen	S	S	s
Galley Storage Compartment For Range And Sink Covers	S	S	S
Dream Booth Dinette w/ Storage Underneath	S	S	S
"Soft Touch" Padded Ceiling	S	S	S
MCD Roller Style Sun And Blackout Shades	S	S	S
Bedside Wardrobe w/ Shoe Rack	S	N/A	N/A
Dresser Drawers And Wardrobe Type Cabinets	S	S	S
72" x 80" king Bed w/ Bedspread And Decorative Pillows	S	N/A	N/A
60" x 80" Queen Bed w/ Bedspread And Decorative Pillows	N/A	S	S
Mattress Pillow Top	S	S	S
Bed Night Stands		S	S
Mirrored Medicine Cabinets	S	S	S
Towel Bar/Toilet Paper Holder/ Towel Ring	S	S	s
APPLIANCES			
Front A/C 15,000 BTU w/ Heat Pump	S	S	S
Rear A/C 15,000 BTU Low Profile	S	S	S
Tankless Water Heater w/ Continuous Flow	S	S	S
35,000 BTU Furnace	S	N/A	N/A
42,000 BTU Furnace	N/A	S	S
Convection OTR Stainless Microwave Oven	S	S	S
2-Door 18 cu. ft. Residential Refrigerator	S	S	S
Sealed 3-Burner Stainless Recessed Cook Top	S	S	s
Power Fan In Bathroom	S	S	S
Fantastic Fan In Galley w/ Built In Thermostat	S	S	S
Washer/Dryer Prep	S	S	s
EXTERIOR OPTIONS			
Slide Out Storage Tray	0	0	0
Satellite Dome (add 2" to exterior height)	0	0	0
DRIVER/PASSENGER AREA OPTIONS			
32" LCD TV In Cockpit Overhead	0	0	0

MODEL	34QS	38RB	38A
APPLIANCE OPTIONS			
9 Cubic ft. Dometic Refer w/ Ice Maker & Pantry	0	0	0
Stackable Washer/Dryer	0	0	0
Electric Fireplace	N/A	0	0
DECOR OPTIONS			
4 Fabric Options	0	0	0
SAFETY STANDARDS			
110 GFI Protected Circuits	S	S	S
Carbon Monoxide Detector	S	S	S
LP Gas Detector w/ Auto Tank Shutoff	S	S	S
Smoke Alarm	S	S	S
Egress Window	S	S	S
Surface Mounted Fire Extinguisher	S	S	S

### BERKSHIRE EXTERIOR FEATURES



The Berkshires features an outside entertainment center that comes equipped with a 32" LED/HD Flatscreen TV.



Easily accessible electrical fuses with Berkshire's no fuss schematic.



Berkshire's water manifold system with whole unit filter and exterior shower.



All Berkshire's come equipped with a 6.0KW generator on a slide tray.





Standard cafe compartment doors with pass thru storage and optional slide-out storage tray.




Berkshire comes with a Four (4)
Point fully automatic Equalizer®
hydraulic leveling system
w/ auto dump.

## **FLOORPLANS**







### **SPECIFICATIONS**

#### **CHASSIS SPECIFICATIONS**

ENGINE	CUMMINS ENGINE: ISB 340HP
TORQUE (FT./LB.)	700
TRANSMISSION	MH2500
HITCH RATING (LBS.)	5,000
WHEELS	POLISHED ALUMINUM
FRONT GAWR (LBS.)	10,500
REAR GAWR (LBS.)	17,500
GVWR (LBS.)	28,000
GCWR (LBS.)	33,000
FUEL TANK (GAL)	100
DEF TANK (GAL)	13
TIRES	255/70R 22.5

#### **DIMENSIONS AND CAPACITIES**

MODEL	34QS	38RB	38A
*APPROX. OVERALL LENGTH	35'7"	39'5"	39'5"
OVERALL WIDTH	100"	100"	100"
APPROX. HEIGHT	12'5"	12'5"	12'5"
INTERIOR WIDTH	95.5"	95.5"	95.5"
INTERIOR HEIGHT	84"	84"	84"
GREY TANK (GAL)	60	60	60
BLACK TANK (GAL)	44	44	44
FRESH WATER TANK (GAL)	86	86	86
FURNACE OUTPUT (BTU)	35,000	42,000	42,000
CONTINUOUS HOT WATER	STD.	STD.	STD.
BASEMENT STORAGE (CU. FT.)	130	183	183
WHEELBASE	206"	252"	252"

\*Approximate Overall Length Shown W/O Rear Ladder. Add 6" with Rear Ladder

All Berkshires are built with:

# TRU-BRACE

Our Tru-Brace<sup>TM</sup> system provides a quieter ride minimizing harmonic vibration throughout the motorhome making your journey more enjoyable.







Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!



YOUR BERKSHIRE DEALER



#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



Forest River, Inc. - Diesel Motorized Division 1800 West Hively Avenue, Elkhart, IN 46515 (574) 522-3693 www.forestriverinc.com/berkshire

All specifications contained herein are based on the latest product information at time of printing. Forest River reserves the right to make changes in colors, materials, equipment and specifications at any time without notice and assumes no responsibility for any errors in this brochure. The pictures in this brochure may show props and optional equipment. PLD918

© 2015 - Berkshire - a division of Forest River Inc. A Berkshire Hathaway company