ROCKWOOD TENT CAMPERS



LIMITED

FREEDOM

EXTREME SPORTS PACKAGE

PREMIER

HIGH WALL


HARD SIDE



Freedom

MAKING YOUR INVESTMENT GO A LONG WAY. Rockwood takes pride in packing the most value possible into our Freedom series. Finding the perfect fit for the specific needs of your active family is made easier by the wide variety of floor plans available. While each model comes standard with many features, you still have flexibility to incorporate as many options as you choose to fit your camping preferences.

| MODEL NUMBER | 1950 | 1980 | 2280 | 2318G | 1640LTD | 1940LTD |
|--------------------------------|--------|--------|--------|--------|---------|---------|
| Unloaded Vehicle Weight* | 1997 | 1896 | 2278 | 2439 | 1465 | 1608 |
| Base Dry Hitch Weight | 230 | 255 | 289 | 263 | 162 | 195 |
| Base Dry Axle Weight | 1748 | 1622 | 1970 | 2157 | 1284 | 1394 |
| Cargo Capacity | 1233 | 1359 | 1011 | 824 | 857 | 747 |
| Box Size | 10' | 10' | 12' | 12' | 8' | 10' |
| Trailer Size (Closed w/ Hitch) | 15' 4" | 15' 4" | 17' 3" | 17' 3" | 12'1" | 14' 5" |
| Height (Closed) | 66" | 66" | 66" | 66" | 64" | 64" |
| Trailer Length (Open) | 20'1" | 20'1" | 23'10" | 23'10" | 17' 1" | 20'1" |
| Fresh Water Capacity | 26 | 26 | 26 | 26 | 10 | 10 |





Extreme Sports Package

WELCOME TO THE ROCKWOOD EXTREME SPORTS PACKAGE (ESP).

a camper designed for active couples and families. Whatever the preference; mountain biking, canoeing, paddle boarding or surfing, the ESP camping trailers are designed to allow you to make the most of your outdoor experience.

BUILT FOR 21ST CENTURY CAMPING.

The ESP package has interior features targeted for the modern, active lifestyle including a Digital Media Receiver with Bluetooth, MP3 player, USB and auxiliary ports, WiFi Ranger WiFi Booster, recharging station with (2) additional USB ports, LED interior lighting and more.

CARGO CARRYING VERSATILITY.

The Rockwood ESP camper features ProRac Systems, Inc. permanent mount cross bars that provide a load-bearing surface for securing up to 150 lbs. of a wide variety of outdoor sports equipment.

UNBOUNDED ADVENTURE.

Distinctive fender flairs and 15" Mud Rover Radial Tires with Aluminum Wheels that provides for 12" ground clearance to go anywhere.

| MODEL NUMBER | 1640ESP | 1910ESP | 1970ESP | 2280BHESP | 232ESP | 282TESP | A122THESP | A122SESP | A213HWESP |
|--------------------------------|---------|---------|---------|-----------|--------|---------|-----------|----------|-----------|
| Unloaded Vehicle Weight* | 1722 | 2180 | 2076 | 2559 | 2933 | 3377 | 2392 | 2272 | 2604 |
| Base Dry Hitch Weight | 178 | 254 | 234 | 338 | 294 | 221 | 346 | 290 | 302 |
| Base Dry Axle Weight | 1525 | 1907 | 1823 | 2202 | 2620 | 3118 | 2008 | 1944 | 2264 |
| Cargo Capacity | 656 | 724 | 808 | 1279 | 861 | 1844 | 1454 | 1518 | 1198 |
| Box Size | 8' 4" | 10' | 10' | 12' | 12' | 12' | 12' | 12' | 14' |
| Trailer Size (Closed w/ Hitch) | 12'1" | 17' 1" | 15' 4" | 19' 2" | 22' 5" | 26' 8" | 22' 1" | 19' | 20'10" |
| Height (Closed) | 71" | 71" | 71" | 74" | 74" | 74" | 71" | 71" | 71" |
| Trailer Length (Open) | 17' 1" | 20' 4" | 20'1" | 23'10" | 26'5" | 30'8" | | | |
| Fresh Water Capacity | 20 | 20 | 20 | 26 | 26 | 26 | 26 | 26 | 26 |

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages.

^{*} See back cover for further specification definitions.










Premier

THE ROCKWOOD PREMIER IS THE TOP TENT CAMPER ON THE MARKET TODAY. The expansive EZ

Reach storage trunk for that extra cargo space, a comfortable, heated, inner-spring mattress, for a peaceful night's sleep, large slide out dinette for a more spacious interior and the convenient power lift system for easier setup are some of the basic features that really make your camper a Premier.

| MODEL NUMBER | 2317G | 2514G | 2516G | 2716G |
|--------------------------------|--------|--------|--------|--------|
| Unloaded Vehicle Weight* | 2795 | 2955 | 2785 | 2831 |
| Base Dry Hitch Weight | 292 | 386 | 296 | 370 |
| Base Dry Axle Weight | 2484 | 2550 | 2470 | 2442 |
| Cargo Capacity | 497 | 431 | 511 | 539 |
| Box Size | 12' | 12' | 12' | 14' |
| Trailer Size (Closed w/ Hitch) | 18'10" | 18'10" | 18'10" | 19' 2" |
| Height (Closed) | 69" | 69" | 69" | 69" |
| Trailer Length (Open) | 23' 9" | 23'9" | 23' 9" | 25' 9" |
| Fresh Water Capacity | 26 | 26 | 26 | 26 |














High Wall

KISS THE CAMPGROUND BATH HOUSE GOODBYE.

Welcome to the Rockwood High Wall Series. We have designed this series for the camping family who wants the refinement of larger vacationing units in a light-weight camper. Ample counterspace, upgraded appliances, convenient pull-up curtains providing a wide view of the surroundings and tasteful interiors make this camper a gorgeous option to experience.

| MODEL NUMBER | HW276 | HW277 | HW296 |
|--------------------------------|--------|--------|--------|
| Unloaded Vehicle Weight* | 3249 | 3334 | 3721 |
| Base Dry Hitch Weight | 296 | 380 | 371 |
| Base Dry Axle Weight | 2915 | 2916 | 3312 |
| Cargo Capacity | 547 | 546 | 1278 |
| Box Size | 14' | 14' | 16' |
| Trailer Size (Closed w/ Hitch) | 19' 3" | 19' 3" | 21' 3" |
| Height (Closed) | 79" | 79" | 81" |
| Trailer Length (Open) | 25' 9" | 25' 9" | 27' 9" |
| Fresh Water Capacity | 26 | 26 | 26 |
| Gray Water Capacity | 12 | 12 | 12 |
| Black Water Capacity | 12 | 12 | 12 |





Hard Side

QUITE POSSIBLY THE BEST OF BOTH WORLDS. When you combine the solid exterior of a travel trailer with a Premier tent camper, you get the Rockwood Hard Side Series, giving your camping experience the best of both worlds. Bringing a smooth, fiberglass vacuum bonded exterior with a quick, easy set up, while retaining the towing and storage advantages of a tent camper, the Hard Side camper is the perfect blend.



Gas Strut Lift Assist (Std. Hard Side Models w/ Manual Lift Roof Only)




Molded LP Bottle Covers (Std. Hard Side & Hard Side High Wall)





Hard Side & Hard Side High Wall Awning & Screen Room option. (Shown on A122S.)

| MODEL NUMBER | A122 | A122S | A122BH |
|--------------------------------|--------|---------|--------|
| Unloaded Vehicle Weight* | 2014 | 2120 | 2267 |
| Base Dry Hitch Weight | 222 | 284 | 307 |
| Base Dry Axle Weight | 1754 | 1798 | 1922 |
| Cargo Capacity | 1208 | 1164 | 1040 |
| Box Size | 12' | 12' | 12' |
| Trailer Size (Closed w/ Hitch) | 17' 1" | 18' 10" | 19' 2" |
| Height (Closed) | 61" | 61" | 61" |
| Fresh Water Capacity | 26 | 26 | 26 |
| Tresh Hater capacity | 20 | 20 | 20 |





Hard Side High Wall

EVER GET MORE THAN YOU EXPECT?

That is what you get with the Rockwood Hard Side High Wall Series. What appears to be another easy to tow, convenient to store camping trailer transforms into a fully equipped camper with many of the amenities commonly found in today's travel trailers.




Power Roof Lift Assist

| MODEL NUMBER | A192HW | A212HW | A213HW | A214HW | A215HW |
|--------------------------------|--------|--------|--------|--------|--------|
| Unloaded Vehicle Weight* | 2312 | 2526 | 2670 | 2700 | 2638 |
| Base Dry Hitch Weight | 341 | 311 | 372 | 353 | 350 |
| Base Dry Axle Weight | 1933 | 2177 | 2296 | 2309 | 2250 |
| Cargo Capacity | 1029 | 785 | 702 | 653 | 712 |
| Box Size | 12' | 14' | 14' | 14' | 14' |
| Trailer Size (Closed w/ Hitch) | 18'10" | 20'10" | 20'10" | 20'10" | 20'10" |
| Height (Closed) | 65" | 67" | 67" | 68" | 68" |
| Fresh Water Capacity | 26 | 26 | 26 | 26 | 26 |

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. * See back cover for further specification definitions.

A192HW



A214HW



EZ REACH STORAGE TRUNK EZ REACH STORAGE TRUNK




A215HW

A212HW



A213HW





FRONT DORMER STANDARD: A213HW, A214HW & A215HW ONLY



Superior Construction

QUALITY BUILT PRODUCTS DON'T HAPPEN ALL BY THEMSELVES.

Here's why we're the best:

- A Three Stage Double Arm Lifter Posts (NA Hard Side)
- B Fiberglass Vacuum Bonded Radius Roof w/ No Center Seam (NA Hard Side)
- **C** Five-Piece Vinolon Supreme Tenting (NA Hard Side)
- D E-Z Crank Down Stabilizer Jacks w/Sand Pads
- **E** Full Perimeter Aluminum Bed Frames (NA Hard Side)
- F Plywood Bunk Ends (NA Hard Side)
- **G** Seven-Way Pigtail Wiring

E

- H Under Floor 20 Gallon Fresh Water Tank (LTDs 11 Gallon Above Floor)
- I Powder Coated Tubular Steel Frame
- J Powder Coated Rafter Poles and Bed Bows (NA Hard Side)
- K Air Conditioner Reinforcing Laminated Into Roof (NA Hard Side)
- L Nitrogen Filled Steel Belted Radial Tires
- M Easy Lube System (Except LTDs)
- N Smooth Fiberglass Vacuum Bonded Exterior (NA on Freedoms)
- One-Piece Door (Except LTDs & Hard Side)
- P Under Awning LED Lighting (Except LTD's & Hard Sides)



Dexter Torflex

(Standard on Premier, High Wall and Hard Side Models)

- · Independent wheel suspension and self-damping action
- · Rubber cushioning eliminates metal-to-metal contact.
- · Forged torsion arm for maximum strength

Most models are also equipped with E-Z Lube® System and Nev-R-Adjust® Brakes.





Popular Feat


JUST A FEW FEATURES THAT PROVE OUR

- A Toylok Mounted Locking System (Std. 2280BH, 2280BHESP, 232ESP, 282TESP, HW316TH, A122BH, A122TH Only)
- B Heated Mattress (Std. Opt.)
- C Swing Down Galley (Except LTDs, Hard Side, High Wall)
- D Metal Full Extension Drawer Guides (Std.)
- **E** Solar Panel Prep (Std. all models) The Zamp 40 amp. portable solar panel shown is sold separately.
- F Three Speed Ventilation Fan (Except LTDs.)
- **G** Water Pump with Filter (Std.)
- H Outside Grill with Work Table (Std. Freedom, Premier, Hard Side, High Wall)
- Add-a-Room with Privacy Panels
 (Opt. all Models Except Hard Side)
- J Power Lift (Std. Premier, High Wall and 232ESP, 282TESP Opt. Freedom /LTD)
- **K WiFi Ranger WiFi Booster**, providing a secure WIFI connection from your WIFI. (NA on Ltd's)
- L Easy Glide Scissorpole Bed Supports (Except LTDs)
- M Bike Rack Option (Most Models)
- N Under Awning LED Light
 (All Models Except LTD's and Hard Sides)

cures

WORTH.

- One-Piece Door (Except LTD's, Hard Side) and Large Entry Assist Handle (Except LTD's)
- P Beautiful Hardwall Shower with a residential-style flush toilet complete with 12-gallon black and gray water holding tank and monitor panel. (Std. High Wall)
- Q Hanging Wardrobe (Opt. all Models Except Freedom, Hard Side & LTD's)
- **R** Outside Shower (Incl. w/ Hot Water Pkg: Std: Premier, Hard Side, High Wall and Opt: Freedom)
- S AM/FM Stereo with Bluetooth and USB ports. (N/A LTD & Freedom)
- T Easy Opening Deluxe Pull-up Curtains. (Std. Premier and High Wall)
- U Double Entry Step (Std. 232ESP, 282TESP A213HWESP Models, All HW Models, and Hard Side A212HW, A213HW, A214HW)
- V Black Water Hose Storage (Std. HW models)
- W LED Bunk Light (Std. Premier & High Wall)
- X Molded LP Bottle Covers (Std. Hard Side, High Wall Only)
- Y EZ Reach Storage Trunk (Some Models)
- Z ProRac Roof Mounted Cross Bars w/ Opt. Bike and Kayak Carrier attachments. (All ESP Models)



Standards & Options



ROCKWOOD FREEDOM, ESP, PREMIER, HIGH WALL & HARD SIDE CAMPERS

| MODELS | LTD | F | ESP | P | HW | HS |
|---|-----|-------|-------|----|----|----|
| STANDARD & OPTIONAL FEATURES | | | | | | |
| Maple Interior with "Wood-Look" Linoleum | | | | S | S | S |
| Driftwood Interior with "Wood-Look" Linoleum | S | S | S | | | |
| Two-Tone Seating | S | S | | S | S | S |
| "Leather Appearance" Seating | | | S | | | |
| Residential Style Kitchen Faucet | S | S | S | S | | S |
| Stainless Steel Look Appliances and Sink | | | | S | S | S |
| Double Pan Sink with High Rise Faucet (HS: A212HW Only) | | | | | S | S* |
| Electric Water Pump | S | S | S | S | S | S |
| Hot Water Package (Incl. Water Filter, Outside Shower, S | İΧ | | | | | |
| Gallon DSI Hot Water Heater, Demand Water Pump) (Opt. | | | | | | |
| F: 1980, ESP: 1910ESP, 1970ESP) (Std. F: 1950, | | | | | | |
| 2270, 2280, 2318G, ESP: 2280BHESP, 232ESP, 282TESP) | | S/0* | S/0* | S | S | S |
| Port-a-Potty (ESP: 1910ESP, A122THESP A213HWESP | | | | | | |
| P: 2514G HS: A122, A1228, A122BH, A192HW, A212HW, | | | | | | |
| A215HW Only) | | | S* | S* | | S* |
| Residential Flush Toilet in Cabinet (HS: A213HW Only) | | | | | | S* |
| Shower and Cassette Toilet Package Incl. Cabinet w/ | | | | | | |
| Shower, Cassette Toilet and Shower Curtain. (Opt. F: 228 | 0, | | | | | |
| 2318G, ESP: 2280BHESP) (Std. F: 1950 ESP: 232ESP, | | | | | | |
| 282TESP, P: 2516G, 2716G) | | S*/O* | S*/O* | S* | | S* |
| Hard Wall Shower with Residential Flush Toilet and Monito | r | | | | | |
| for Holding Tanks, Battery and Water Pump Switch | | | | | S | |
| Hard Wall Shower w/ Residential Flush Toilet | | | | | | |
| (HS: A214HW Only) | | | | | | S* |
| Spray Away Utility Hose | | | S | | | |
| Antifreeze Inlet to Bypass Fresh Water Tanks | | | | | | |
| When Winterizing | S | S | S | S | S | S |
| Fold Over Galley with Upper and Lower Storage | | | | | | |
| (Std. P: 2514G Only) | S | | | S* | | |
| Two Burner Free-Standing Range | S | | | | | |
| Swing Level Galley with Storage (N/A P: 2514G) | | S | S | S* | | |
| Permanently Mounted 3-Burner Indoor Range | | | | J | | |
| w/ Stove Cover | | S | S | | | |
| Permanently Mounted 3-Burner Indoor Range w/ | | | Ī | | | |
| Glass Stove Top Cover | | | | S | | S |
| | | | | _ | | |

| MODELS | LTD | F | ESP | P | HW | HS |
|--|-----|---|-----|----|----|----|
| Three Burner Glass Top Stove with Oven | | | | | | |
| (HS: A212HW Only) | | | | | S | S* |
| Microwave | | | | | S | S |
| Large Built-In Icebox | S | S | S | S | | |
| 110V Electric Outside Accessible Refer | | | | | | |
| (P: 2716G, 2317G Only) | | | | S* | | |
| 3 Way Refer 1.9 cu. ft. | 0 | 0 | 0 | | | |
| 3 Way Refer 2.5 cu. ft. | | | | 0 | | S |
| Extra Large 3 Way Refer (HS: A192HW, | | | | | | |
| A212HW, A213HW, A214HW Only) | | | | | 0 | S* |
| Free Standing Lite-Ply Table–High Pressure Laminate | | | | | | |
| (Most Models) | S | S | S | S | S | S |
| Comfortable Family Style Dinette w/ 4" Cushions | S | S | S | S | S | S |
| Residential Style Raised Panel Doors | | | | S | S | S |
| Wood Drawers w/ Full Extension Metal Guides | S | S | S | S | S | S |
| Large Clothes Bar | | | | S | S | S |
| Hanging Wardrobe | | | | 0 | 0 | 0 |
| Hanging Pantry | | 0 | 0 | 0 | 0 | |
| USB Charging Ports | | S | S | S | S | S |
| Digital Media Receiver w/ AM/FM Stereo, Bluetooth, | | | | | | |
| MP3 Player, USB & Aux. Ports | | | S | S | S | S |
| TV Outlet with Cable and Satellite Hook Up | | S | S | S | S | S |
| 30 Amp Detachable Power Cord w/ Storage Bag | | S | S | S | S | S |
| 25 Amp Converter w/ Built in Battery Charger (ESP: 1640ESP |) S | | S* | | | |
| 35 Amp Converter w/ Built in Battery Charger | | S | S | S | S | S |
| 12V Safety Breaker | S | S | S | S | S | S |
| Roof Vent | S | | | | | |
| Three Speed Ventilation Fan | | S | S | S | S | S |
| Air Conditioner Wiring Kit | 0 | 0 | 0 | 0 | 0 | |
| 10k BTU Cool Cat Heat Pump | | | | | | S |
| 13.5k BTU Low Profile Air Conditioner (Factory Installed) | | | | | 0 | |
| 15k BTU Low Profile Air Conditioner (Factory Installed) | | | | | 0 | |
| 20k BTU Forced Air Furnace w/ Electric Ignition | 0 | 0 | 0 | 0 | 0 | 0 |
| Interior Floor Lights | | | | | S | S |
| 2 Ceiling LED Lights and Jacks for Accessories | S | | | | | |
| 2 Ceiling LED Lights | | | | | | S |

| MODELS | LTD | F | ESP | P | HW | HS |
|---|-----|----|-----|----|----|----|
| 3 Ceiling LED Lights and Jacks for Accessories | | S | S | S* | | |
| 4 Ceiling LED Lights and Jacks for Accessories (C: 627D Only) | | | | S* | S | |
| Bunk LED Light with Fan | | | | S | S | |
| LED Bunk Light (F: 2318G ESP: 232ESP, 282TESP Only) | | S* | S* | S | S | |
| LP Leak/Carbon Monoxide Detector | S | S | S | S | S | S |
| Privacy Curtains | S | CP | CP | CP | CP | S |
| Deluxe Pull Up Curtains | | | | S | S | |
| Roof Valances | | CP | CP | CP | CP | |
| Storage Net Over Bunks | | S | S | S | S | |
| Quilted Top Bed Mattresses | S | S | S | | | |
| Deluxe Memory Foam Quilted Top Bed Mattresses | | | | | | |
| (HS: A213HW, A213HWESP Twin Beds Converts to King) | | | | | | S* |
| Quilted Top Memory Foam Mattresses (HS: A122, A122S, | | | | | | |
| T12RBBH, SE: T12RBTHSE Only) | | | S* | S | S | S* |
| Quilted Top 60" x 80" Memory Foam Mattresses | | | | | | |
| (HS: A192HW, A212HW, A214HW Only) | | | | | | S* |
| Thermostatically Controlled Heated Mattresses | | | | | | |
| (HS: A122, A122S, A122BH, A192HW, A212HW, A214HW Only) | S | S | S | S | S | S* |
| Leaf-Spring Axle | S | S | S | | | |
| Independent Torsion Axles | | | | S | S | S |
| Easy Lube Axles | | S | S | S | S | S |
| Spare Tire, Cover and Mount | S | TP | TP | TP | TP | S |
| 12" Radial Tires | S | | | | | |
| 13" Radial Tires w/ Aluminum Wheels | | | | | | |
| (HS: Except A212HW, A213HW, A214HW, A215HW) | | S | | S | | S* |
| 14" Radial Tires w/ Aluminum Wheels (Std. HS: A212HW, | | | | | | |
| A213HW, A214HW, A215HW)(Note: Dual Axle Models HW29 | 6) | | | | S | S* |
| 15" Mud Rover Radial Tires, Aluminum Wheels | | | | | | |
| (Std. ESP: A213HWESP, A122THESP, A122SESP, 1910ESP, | | | | | | |
| 1970ESP, 1640ESP 2280BHESP) W/ Shocks (Std. ESP: | | | | | | |
| 232ESP, 282TESP Only) (Note: Dual Axle 282TESP) | | | S* | | | S* |
| Electric Brakes | 0 | S | S | S | S | S |
| Slam Latches on Front Trunk Side Doors (P: 2317G, | | | | | | |
| 2514G, 2516G Only) | | | | S* | | |
| | | | | | | |











| MODELS | LTD | F | ESP | P | HW | HS |
|---|-----|----|-----|----|----|----|
| EZ Reach Storage with Sliding Tray All Front Trunk Mode | ls | | | | | |
| and Rear O/D Under Bed Storage (HS: A192HW, | | | | | | |
| A212HW, A214HW, A215HW ESP: A213HWESP) | | S* | S* | S* | | S* |
| 28.5" Front Storage Deck w/ 200 # Weight Capacity | | | | | | |
| (Std. ESP: 2280BHESP, HS: A122BH Only) | | | S* | | | S* |
| 54" Frt. Storage Deck w/ 650 # Wt. Capacity | | | | | | |
| (Std. ESP: 232ESP) | | S* | S* | | | |
| 57" Frt. Storage Deck w/ 650 # Wt. Capacity | | | | | | |
| (Std. ESP: A122THESP) | | | S* | | | |
| 105" Front Storage Deck w/ 1300 # Weight Capacity | | | | | | |
| (Std. ESP: 282TESP) | | | S* | | | |
| Toylok Mounted Locking System (ESP: All Models, | | | | | | |
| HS: A122BH) | | | S | | | S* |
| Pull out Camp Kitchen (2516G only) | | | | S* | | |
| (4) Bike Rack (N/A ESP: 232ESP, 282TESP, A122THESP, | | | | | | |
| Note: HS: A122 - 2 Bikes only) | 0 | 0* | 0* | 0 | 0* | 0* |
| ProRac Systems Permenate Mount Cross bars (Std. on | | | | | | |
| all except LTD and Freedom, N/A on Dormer Units) | | | S | S | S | S |
| ProRac Systems Upright Bike Carrier | | | 0 | 0 | 0 | 0 |
| ProRac Systems Kayak Carrier | | | 0 | 0 | 0 | 0 |
| ProRac Systems Load Stops | | | 0 | 0 | 0 | 0 |
| ProRac Systems Tie Downs | | | 0 | 0 | 0 | 0 |
| Power Lift System (Std. ESP: 232ESP, 282TESP) | 0 | 0* | 0* | S | S | |
| Gas Strut Lift Assist (HS: N/A HW Models) | | | | | | S* |
| Power Roof Lift Assist (ESP: A213HWESP HS: A122BH, | | | | | | |
| A192HW, A212HW, A213HW, A214HW, A215HW Only) | | | | | | S* |
| Front Dormer (HS: A122BH, A214HW and A215HW Only) | | | | | | S* |
| Built-in A-Frame Mounting Provision for Equalizer | | | | | | |
| Hitch Bar Installation | S | S | S | S | S | S |
| Battery Box and Wiring Kit | 0 | S | S | S | S | S |
| Solar Panel Prep | S | S | S | S | S | S |
| 40 Watt Solar Panel | 0 | 0 | 0 | 0 | 0 | 0 |

| MODELS | LTD | F | ESP | P | HW | HS |
|---|-----|----|-----|----|----|----|
| 100 Watt DC Roof Mount Solar Panel with 300 Watt AC | | | | | | |
| Invertor (Std. 1970ESP & 122THESP, N/A all others units) | | | S* | | | S* |
| 20 lb. LP Bottle | S | S | S | S | | |
| Dual 20 lb. LP Bottles with Cover and Automatic LP | | | | | | |
| Regulator (Std. ESP: 232ESP, 282TESP, 2280BHESP Only) | 0 | 0 | 0* | 0 | | |
| Dual 20 lb. LP Bottles with Molded Hard Cover and | | | | | | |
| Automatic LP Regulator | | | | | S | S |
| Diamond Plated Lower Front Cap | | | | S | S | S |
| Chrome Diamond Plated Front and Side Skirt | | | S | | | |
| Awning | S | S | S | S | S | |
| LED Under Awning Light Strip | | S | S | S | S | |
| Awning/Screen Room | | | | | | 0 |
| Screen Room w/ Privacy Panels | 0 | 0 | 0 | 0 | 0 | |
| Outdoor Gas Grill w/ Worktable | 0 | S | S | S | S | S |
| Outside Speaker | | | S | S | S | S |
| Patio Light (LTD: 1940LTD Only) | S* | CP | CP | CP | S | S |
| Courtesy Light on Front (ESP: 2280BHESP, 232ESP, | | | | | | |
| 282TESP HS: All Models) | | | S* | | | S |
| 110V Exterior Outlet (1940LTD only) | S* | CP | CP | CP | S | S |
| Black Water Hose Storage | | | | | S | |
| Door Step | S | TP | | TP | | S* |
| Double Door Step (ESP: All Models, HW: All Models, | | | | | | |
| HS: A212HW, A213HW, A214HW, A215HW) | | | TP | | TP | S* |
| One Piece Screen Door | | S | S | S | S | |
| Vented Entrance Door Window w/ Screen | | | | | | S |
| Folding Grab Handle (N/A 1640ESP) | | S | S* | S | S | S |
| Exterior Graphic Design | S | S | | S | S | S |
| Travel Pack (Incl. Spare Tire, Tire Bracket, | | | | | | |
| Tire Cover, Installed Step) | | 0 | 0 | 0 | 0 | |
| Convenience Pack (Incl. Privacy Curtains, Roof | | | | | | |
| Valances, A/C Bracing, Patio Light, 110V Exterior Outlet) | | 0 | 0 | 0 | 0 | |
| | | | | | | |

| MODELS | LTD | F | ESP | P | HW | HS |
|---|-----|----|-----|----|----|----|
| STANDARD CONSTRUCTION FEATURES | | | | | | |
| Completely Enclosed Living Area | | | | | | S |
| Fiberglass Vacuum Bonded Roof with Metal Interior Roo | ıf | | | | | S |
| Large Rear Roof Tinted Sky Light with Shade | | | | | | S |
| Two Front Roof Tinted Windows with Shades | | | | | | S |
| Fiberglass Vacuum Bonded Radius Roof w/ | | | | | | |
| No Center Seam | S | S | S | S | S | |
| Steel Air Conditioner Reinforcing Laminated Into Roof | S | CP | CP | CP | S | |
| CP 3-Stage Double Arm Lifter Posts | S | S | S | S | S | |
| Smooth Oyster Fiberglass Vacuum Bonded Exterior w/ | | | | | | |
| Black Accents | | | | S | S | S |
| Lower Door Operational in Closed Position | S | S | S | S | S | |
| Five Piece Sectionalized Vinolon Supreme Tenting | S | S | S | S | S | |
| Tent Permanently Attached on Bunk Ends and Slide Out | S | S | S | S | S | |
| Plywood Bunk Ends | S | S | S | S | S | |
| Full Perimeter Aluminum Bed Frames | S | S | S | S | S | |
| Easy Glide Scissor Pole Bed Supports | | S | S | S | S | |
| Powder Coated Rafter Poles and Bed Bows | S | S | S | S | S | |
| Tinted Vinyl Windows | S | S | S | S | S | |
| Large, Opening Picture Window | | | | | | S |
| One Piece Undercoated Structure Wood Floor | S | S | S | S | S | S |
| Powder Coated Tubular Steel Frame | S | S | S | S | S | S |
| Rear Crank Down Stabilizer Jacks w/ Sand Pads | S | | | | | |
| (4) E-Z Crank-Down Stabilizer Jacks w/ Sand Pads | | S | S | S | S | S |
| Seamless, High Density Polyethylene Wheel Wells | S | S | S | S | S | S |
| 11 Gallon Fresh Water Tank | S | | | | | |
| Under Floor 20 Gallon Fresh Water Tank | | S | S | S | S | S |
| 12 Gallon Gray Water Holding Tanks | | | | | S | |
| 12 Gallon Black Water Holding Tank | | | | | S | |
| 2000 lb. Tongue Jack w/ Swivel Wheel | S | S | S | S | S | S |
| Power Front Jack | | | | | 0 | 0 |
| 7-Way Pigtail Plug | S | S | S | S | S | S |
| WiFi Pangar WiFi Panetar | | 9 | Q | Q | ç | Q |

LTD = LIMITED, F = FREEDOM, ESP = EXTREME SPORTS PACKAGE, P = PREMIER, HW = HIGH WALL, HS = HARD SIDE / HARD SIDE HW & HARD SIDE ESP, S = STANDARD, O = OPTIONAL, -- NOT AVAILABLE,



www.forestriverfrog.com

CUSTOMER SATISFACTION



www.Forest River Buy Local.com



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Rockwood Gen Pro Travel Trailers



Rockwood Mini Lites and Roos



Rockwood Illtra Lite Travel Trailers & Fifth Wheels



Rockwood Signature Ultra Lite TT, Fifth Wheel and Windiammer

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of th<u>e unit when</u> fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo. fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)**- is the amount of weight a<u>vailable for fresh potable</u> water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

ROCKWOOD

WARRANTY

For details on Rockwood's complete warranty program, see your Rockwood dealer. When it comes to backing products with the same quality and commitment it does when it begins the manufacturing process, the only name you have to remember when you're looking for a recreational vehicle is Rockwood. Rockwood offers the following additional limited warranties to the original purchasers. Consult written warranty for details.

1. Five-year roof warranty (Excludes Hardsides), 2. Twenty-five-year floor warranty, 3. Five-year frame warranty, 4. Five-year tent warranty, **5.** Ten-year warranty on torsion axle suspension, **6.** Limited lifetime warranty of lifter system (Excludes Hardsides).



Learn More

Scan this barcode using 🙀 a QR Reader on your smart phone to learn more about Forest River.





201 WEST ELM MILLERSBURG, IN 46543 WWW.FORESTRIVERING.COM/ROCKWOOD 574.642.2640

YOUR ROCKWOOD DEALER

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A FOR 1478 W: 2017.10.16